: SADDLE, OUTBOARD, RH, 206

Process Sheet

: CU-DAR001 Dart Helicopters Services : 34780

: 10523 : NIA

: 32623

Friday, 9/21/2007 12:59:38 PM

Kim Johnston

جالو: S.O. No.

: 9/21/2007

: MACHINED PARTS Type

Part Number Drawing Number

Drawing Name

: D26652 D2665 REV. D

: N/A Project Number : D **Drawing Revision Material**

AG: **Due Date**

: 10/10/2007

12 Um: Each

Checked & Approved By

: Est: Comment

Removed P/O for Powder Coat - in

EC house process

Est Rev:D As per Rev D 07-03-19 JLM

Additional Product



Machine Or Operation: 1.0 D6101003

Description:

7075-T7351 2X6.25X7.875

Comment: Qty.: 1.0000 Each(s)/Unit

7075-T7351 2X6.25X7.875

Cut Size 2.0" x 6.25" x 7.88"

Total:

12.0000 Each(s)

Batch B25349

Grain Along Long 7.88 Length

HAAS1 2.0

HAAS CNC VERTICAL MACHINING #1



Comment: HAAS CNC-VERTICAL MACHINING #1

- 1- Program batch number
- 2- Machine Step # 1 of Folio and visually inspect as per attached Dimension Sheet
- 3- Machine Step # 2 of Folio and visually inspect as per attached Dimension Sheet
- 4- Machine Step # 3 of Folio and visually inspect as per attached Dimension Sheet

5- Deburr

CONVENTIONAL MILLING MACHINE







Comment: CONVENTIONAL MILLING MACHINE

13

Machine Keyway and inspect per attached dimension sheet

4.0 QC2

3.0

INSPECT PARTS AS THEY COME OFF MACHINE



BC

Comment: INSPECT PARTS AS THEY COME OFF MACHINE

5.0 QC8

SECOND CHECK



Comment: SECOND CHECK



Page 1

Form: mrocess

Dart	Aeros	pace	Ltd
------	-------	------	-----

W/O:				WO	RK ORDER CHANG	GES					
DATE	STEP		PROCEDURE	CHAN	GE	E	Зу	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
			S								
				`							
Part No	:	PAR #: _	Faul	Categ	ory:		_	_			
NOD			WORK)BDE	R NON-CONFORM					_ Date:	
NCR:	T		WOINT		.:	<u> </u>	NCK)				
DATE	STEP	Description of NC	Initia			tion B	ign &	Verifica		Approval	Approval
		Section A	Chief E		Action Description Chief Eng		Date	Section	C	Chief Eng	QC Inspector
						,					
							-			• •	
`				!			.*				

NOTE: Date & initial all entries

Friday, 9/21/2007 12:59:38 PM Date: User: Kim Johnston **Process Sheet** Drawing Name: SADDLE, OUTBOARD, RH, 206 Customer: CU-DAR001 Dart Helicopters Services Part Number: D26652 Job Number: 34780 Job Number: Seq. #: Description: Machine Or Operation: HAND FINISHING1 HAND FINISHING RESOURCE #1 6.0 Comment: HAND FINISHING RESOURCE #1 Acid etch and Alodine as per QSI 005 4.1 POWDER COATING 7.0 M105068 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 INSPECT POWDER COAT/CHEMICAL CONVERSION 8.0 Comment: INSPECT POWDER COAT 9.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 10.0 QC21 Comment: FINAL II U 840005 Job Completion

Dart Ae	rospace	e Lta	-					
W/O:			WORK ORDER	CHANGES				
DATE	STEP	PROCEDU	RE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
				·				
							•	
Part No	•	PAR #: Fa	ult Category:	NCR: Yes	No DQ	A:	_ Date: _	
				QA:	N/C Close	d:	_ Date:	
NCR:		WORK	ORDER NON-CON	IFORMANCE (NC	R)			

NCR:	R: WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC			Corrective Action Section B		Verification	Approval	Approval
DATE	ATE STEP Description of NC Section A				Action Description S Chief Eng	Sign & Date	Section C	Approval Chief Eng	QC Inspector
	-								
٠.		S.			·				
	,	,							
		-							
						•			
						ļ			

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	34780
Description: 206 Saddle, Outboard, Right side	Part Number:	D2665-2
Inspection Dwg: D2665 Rev. D		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2665 Rev.D C and record below:

			***************************************	Red	corded Actu	ıal Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.100	0.140		0.127	0.127	0.127	0,126		
В	0.100	0.140		0,123	0.120	0.121	0,122		
С	1.125	1.145		1.136	1.137	1.135	1.135		
D	0.615	0.685		6.678	0.680	0.680	0.680	•	
E	0.240	0.260		0,253	0.253	0.253	0.253		
F	1.313	1.343		1.329	1.328	1.328	1.328		
G	0.210	0.230		0,225	0.225	0.225	0.221		
Н	0.100	0.180		0.141	0.141	1.140	0.141		
	2.470	2.510		2.493	2.493	2.493	2.493		· ·
J	1.565	1.585		1.573		1.573	1.573		
K	0.235	0.240		,238	<i>-3</i> 38	-238	-238		i
T L	0.100	0.120		0.110	0.110	0.110	0,110		
М	0.990	1.010		1.000	1.000	0.999	0.999		
. N	0.510	0.515		0.513	.5/3	.5/3	-513		
0	5.990	6.010		6.001	6.001	6-001	6.001		
Р	1.245	1.255		1,250	1,250	1.250	1.250		
Q	2.495	2.505		2,500	2500	2.500	2.SD0		
R	0.313	0.318		0,314	0.314	6.314	0.3/4	1.	` ' ' ' '
S	0.315	0.322		0.320	0.320	0.326	0.320		
T	2.495	2.505		2.506	2,499	2,500	2,499		
. U	1.357	1.367		1.366	1.360	1.266	1.360		
V	0.787	0.807		0.794	0,795	0.795	0.79%		
W	0.540	0.560		0.550	0,557	0.550	0.550		
X	1.674	1.684		1.478	1.678	1.678	1.678		
Y	0.257	0.262		0.258	0.259	0.258	0.258		
Z	0.912	0.932		0.925	0.924	0.923	0.924		
AA	0.490	0.510		0.500	0.501	0.501	0.501		
AB	0.178	0.198		0./88	0.188	0.182	0.188		
AC									74 × 1. 1.43
AD									
AE									
AF					!				
	Acc	ept/Reje	ct						

Measured by:	/ さん・	Audited by X.P	
Date:	1 07/10/03	Date: 07/10/01/	

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	99.04.19	Incorporated DSI 9095, DSI 9102 & DSI 9122 Rev. A	RF	
С	99.11.10	Added Dim. R-T	RF	
Δ	02.12.12	Reformat; Added Dim. U-W & DT8683, DT8686	KJ/RF	
Ē	06.07.05	Revised per drawing revision C	KJ/JLM LA	_1
F	07.03.21	Revised per drawing revision D	KJ/JLM 🔣	


DART AEROSPACE LTD	Work Order:	34780
Description: 206 Saddle, Outboard, Right side	Part Number:	D2665-2
Inspection Dwg: D2665 Rev. D		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2665 Rev.D C and record below:

				Red	corded Actu	ual Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.100	0.140		0.127	0.127	0,127	.127		
В	0.100	0.140		0.124	0.122	0.122	.177		
С	1.125	1.145		1.135	1.135	1.138	1.138		
D	0.615	0.685		0.680		0.682	. 682		
Е	0.240	0.260		1,255	0.253	0,253	. 753		
F	1.313	1.343		1.330	1.33/	1,331	1.331		
G	0.210	0.230		0.225	0.225	0.225	. 225		- tt-1
Н	0.100	0.180		8.140	0,140	0.140	.140		
1	2.470	2.510		2,494	2.495	2,494	7.494		
, J -	1.565	1.585		1.573	1.571	1.574	1.576		
K	0.235	0.240		-238	-238	-238	-238_		
L	0.100	0.120		0,116	.110	.110			
М	0.990	1.010		0.998	. ૧૧૪	, 998	. 998		
N	0.510	0.515		513	.513	-513	.513		
0	5.990	6.010		6.001	6-00	6.001	6.001		
Р	1.245	1.255		1.250	1.750	1.250	1.250		
Q	2.495	2.505		2,500	8.500	7.500	ن کر بر		
R	0.313	0.318		0.3/4	.314	.314	-314		
S	0.315	0.322		0.320	0.320	0.320	-320		
T	2.495	2.505	•	2,499	a,500	2,500	2.500		
U	1.357	1.367	,	1.362	1.362	1.362	1.362		
V	0.787	0.807		0.795	0.794	0.794	.794		
W	0.540	0.560		0.548	0.549	0,548	· 548		
Х	1.674	1.684		1.1076	1.676	1.676	1-676		
Y	0.257	0.262		0.259	0.258	0.259	. 258		
Z	0.912	0.932		0.924	0.923	0.923	. 923		
AA	0.490	0.510		0.500	1500	.500	.500	•	
AB	0.178	0.198		0.188	0.188	0.188	. 188		
AC									· · · · · · · · · · · · · · · · · · ·
AD			1 4170						
AE									
AF						,			
	Acc	ept/Reje	ct						

1	
Measured by: 5.1	Audited by Audited
Date: 42.66.63	Date: 07/10/01
Series Series	

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	99.04.19	Incorporated DSI 9095, DSI 9102 & DSI 9122 Rev. A	RF	
С	99.11.10	Added Dim. R-T	RF	
D	02.12.12	Reformat; Added Dim. U-W & DT8683, DT8686	KJ/RF	
E	06.07.05		KJ/JLM , ,	
F	07.03.21	Revised per drawing revision D	KJ/JLM C	




DART AEROSPACE LTD	Work Order:	34780
Description: 206 Saddle, Outboard, Right side	Part Number:	D2665-2
Inspection Dwg: D2665 Rev. D		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2665 Rev.D C and record below:

<u> </u>				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
A	0.100	0.140		1127	177	1177	.177		
В	0.100	0.140		.122	.177	1122	.122		
C -	1.125	1.145		1.138	1.138	1.138	1.138		
D	0.615	0.685		.642	. 682	.682	.682		
E	0.240	0.260		.253	.753	. 253	.253		
F	1.313	1.343		1.331	1.331	1.331	1.331		
G	0.210	0.230		. 775	1225	.225	,775		
Н	0.100	0.180		1140	140	- 140	.140		
·	2.470	2.510		7.494	7.494	7.444	7.494		
J	1.565	1.585		1.576	1576	1.576	1.576		
K	0.235	0.240		-238	-238	-238	238		
L	0.100	0.120		.110	. (16	4116	0 3		
М	0.990	1.010		. 998	, 998	-998	. ५५४		
. N	0.510	0.515		.513	.513	.513	-513		
0	5.990	6.010		6.001	6.001	6.001	6.001		•
Р	1.245	1.255		1.250	1.250	1.250	1.250		
Q	2.495	2.505		1500	2.500	7.500	7-500		
·R	0.313	0.318		. 314	.314	-314	.314		
S	0.315	0.322	1.00	. 370	.320	.326	.320		
T	2.495	2.505		7.500	2500	7-500	7.500		
U	1.357	1.367		1.367	1.367	1.362	1.362		
V	0.787	0.807		. 794	. 79-1	. 794	794		
W	0.540	0.560		.5-18	.548	-548	. 548		
Χ	1.674	1.684		1.676	1.676	1.676	1.676		
Υ	0.257	0.262		. 258	.758	1258	.258		
Z	0.912	0.932		.923	. 923	. 473	- 923		
AA	0.490	0.510		. 500	, 506	.500	, 500		
AB	0.178	0.198		. 188	. 186	. 188	-188		···
AC									
AD									
ΑE									
AF									
	Acc	ept/Reje	ct						

Measured by:	P. 1	エル	Audited by \mathcal{Y}
Date:	m7.10.07		Date: 07/10/04
	04:10-0		

Date	Change	Revised by	Approved
	New Issue	RF	
99.04.19	Incorporated DSI 9095, DSI 9102 & DSI 9122 Rev. A	RF	
99.11.10	Added Dim. R-T	RF	
02.12.12	Reformat; Added Dim. U-W & DT8683, DT8686	KJ/RF	
06.07.05	Revised per drawing revision C	KJ/JLM LA	1
07.03.21	Revised per drawing revision D	KJ/JLM 🖈	
	99.04.19 99.11.10 02.12.12 06.07.05		New Issue RF 99.04.19 Incorporated DSI 9095, DSI 9102 & DSI 9122 Rev. A RF 99.11.10 Added Dim. R-T RF 02.12.12 Reformat; Added Dim. U-W & DT8683, DT8686 KJ/RF 06.07.05 Revised per drawing revision C KJ/JLM



Copyright 1997 by DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.